



L.S.K. Enterprise Sdn. Bhd.

SAFETY DATA SHEET

Section 1 - Product Identification and Use

Product Identifier: SILICA SAND – Mesh # 30/60
SILICA SAND – Mesh # 30/100
SILICA SAND – Mesh # 40/80
SILICA SAND – Mesh # 40/100
SILICA SAND – Mesh # 50/80
SILICA SAND – Mesh # 50/100
SILICA SAND – Mesh # 60/100
SILICA SAND – Mesh # 80/100
SILICA SAND – Mesh # 100/200
SILICA SAND – Mesh # 100/300
SILICA SAND – ≤ Mesh # 325 / (600 µm to 45 µm)

Category: Mineral

Formula: SiO_2

Product Use: Water filtration & treatment, Sand blasting abrasive, Paint, Cement products, Non-slip aggregates, ISO testing laboratories and etc.

Supplier: L.S.K. Enterprise Sdn. Bhd.

Address: Lot 62058, 5 ¾ Miles, Jalan Gopeng, Simpang Pulai, Kampung
Kepayang, 31300 Ipoh, Perak, Malaysia

Telephone number: +605-357 1250

Facsimile number: +605-357 1361

Emergency number: 999

Section 2 - Hazard Identification

Sand & gravel are odourless. It is not combustible or explosive. A single, short term exposure presents little or no hazard. Use proper engineering controls, work practices, and Personal Protective Equipment (PPE) to prevent exposure to dust.

Health Hazards: None

Environment Hazards: None

Chemical & Physical Hazards: None

L.S.K. Enterprise Sdn. Bhd.

Section 3 - Composition / Information of Ingredients

Chemical:	SiO ² (ca. 95%) Mineral and Organic Impurities (e.g. Al ₂ O ₃ , MgO, CaO, MnO, Fe ₂ O ₃ , SO ₃ and etc.) – Balance of %
Respirable Fraction of Quartz Content:	0 – 0.10%
Mineralogical:	alpha quartz
E.I.N.E.C.S.-N°:	238-878-4
C.A.S.-N°:	14808-60-7
GHS Classification:	None
IUPAC Name:	silicon dioxide

Section 4 - First Aid Measure

Skin Contact:	Wash with cool water and a pH neutral soap or mild skin detergent. Seek medical attention if situation persist for rash and irritation.
Eye Contact:	Rinse eyes thoroughly with water for at least 15 minutes, including under lids, to remove all particles. Seek medical attention if situation persist for abrasion.
Inhalation:	Move victim to fresh clean air. Seek medical attention for discomfort or if coughing or other symptoms do not subside.
Ingestion:	Do not induce vomiting. If conscious, give plenty of water to drink. Seek medical attention or consult physician.

Section 5 - Fire Fighting Measure

Conditions of Flammability:	N/A	Means of Extinction:	N/A
Upper Flammable Limit:	N/A	Flash Point:	N/A
Lower Flammable Limit:	N/A	Auto-Ignition Temp.:	N/A
Explosion Data (Mechanical):	N/A	Explosion Data (Static):	N/A

Section 6 - Accidental Release Measures

Personal Precautions: Avoid airborne dust generation. Wear appropriate personal respirator protection if exposure to dust exceeds exposure limits.

Environmental Precautions: None

Methods and materials for containment and cleaning up: Avoid dry sweeping. Use water spraying or High Efficiency Particulate Air (HEPA) filtered vacuum cleaning system to minimize the raising of dust.

Section 7 - Handling & Storage

General: Stack bagged material in a secure manner to prevent falling. Bagged sand and gravel is heavy and poses risks such as sprains and strains to back, arms, shoulders and legs during lifting and mixing. Handle with care and use appropriate control measures.

Engulfment: To prevent burial or suffocation do not enter confined space, such as silo, bin, bulk truck or other storage container. Sand and gravel can build up or adhere to the walls of a confined space. The sand or gravel release, collapse or fall unexpectedly.

Housekeeping: Avoid actions that cause the sand or gravel to become airborne during clean-up such as hard sweeping or using compressed air. Use PPE described in Section 8.

Shelf life: Indefinite if stored properly.

Section 8 - Exposure Control / Personal Protection

Engineering Controls: Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits.

Respiratory: Under ordinary conditions no respiratory protection is needed.

Eye Protection: Wear approved safety goggles when handling dust to prevent contact with eyes.

Skin Protection: Wear gloves in situations where abrasion from sand may occur. Remove clothing and protective equipment that becomes dusty and launder before reusing.

Section 9 - Physical Properties

Physical state:	<i>Granular Solid</i>	Color:	<i>Tan to off white</i>
Appearance:	<i>White, gray, or tan granular powder</i>	Form:	<i>Free flowing</i>
pH (in water):	<i>Neutral</i>	Evaporation rate:	<i>N/A</i>
Boiling Point:	<i>>1,000°C</i>	Odor:	<i>None</i>
Melting Point:	<i>3110°F/1710°F</i>	Flashpoint:	<i>N/A</i>
Freezing Point:	<i>None, Solid</i>	Flammability:	<i>Non-combustible</i>
Vapor Pressure:	<i>N/A</i>	Flammable or Explosive Limits:	<i>N/A</i>
Vapor Density:	<i>N/A</i>	Relative Density:	<i>N/A</i>
Viscosity:	<i>None, Solid</i>	Specific Gravity:	<i>2.65 (Approx.)</i>
Solubility in Water:	<i>Insoluble</i>	Auto ignition Temperature:	<i>N/A</i>
Coefficient of water/oil distribution:	<i>N/A</i>	Decomposition Temperature:	<i>Will not decompose</i>

Section 10 - Stability & Reactivity

Conditions under which the product is chemically unstable:	<i>Not Applicable</i>
Substance or class of substance with which the product is incompatible:	<i>Not Applicable</i>
Conditions of reactivity:	<i>Not Applicable</i>
Hazardous decomposition products:	<i>None</i>
Hazardous polymerization products:	<i>None</i>

Section 11 - Toxicological Information

Skin Contact:	<i>No Effect</i>
Skin Absorption:	<i>No Effect</i>
Eye Contact:	<i>No long-term effect other than dust discomfort</i>
Ingestion:	<i>No Effect</i>
Inhalation Acute Exposure:	<i>No Immediate Effect</i>
Sensitization:	<i>No Effect</i>
Chronic Exposure:	<i>Respiratory diseases may develop such as silicosis, pneumoconiosis and pulmonary fibrosis.</i>

Section 12 - Ecological Information

No known effect on environmental hazard.

Section 13 - Disposal Considerations

Waste Disposal: Dispose of material in accordance with Federal, State and local requirements. May be land filled in compliance with local regulations. Recycling is preferable to disposal wherever possible. Whatever cannot be saved for recovery or recycling should be handled as non-hazardous waste and waste analysis may be necessary develop to determine a proper method for disposal.

Section 14 - Transportation Information

Not classified as dangerous material and no special precautions are required.

Section 15 - Regulatory Information

Silica sand is not classified as Hazardous according to Industry Code of Practice on Chemicals Classification and Hazard Communication provided by Malaysia – Department of Occupational Safety and Health (DOSH).

Section 16 - Other Information

Prepared by: Production & Quality Control Department
L.S.K. Enterprise Sdn. Bhd.
Lot 62058, 5 ¾ Miles,
Jalan Gopeng, Simpang Pulai,
Kampung Kepayang, 31300 Ipoh, Perak,
Malaysia.

Telephone number: +605-357 1250

Facsimile number: +605-357 1361

Date prepared: 10th October 2024

The information and recommendations contained herein are accurate to the best of our knowledge. However, data, safety standards and government regulations are subject to change and conditions of handling, use or misuse of this product are beyond our control. No guarantee or warranty of any kind, express or implied is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers users should satisfy themselves that they must comply with all applicable health and safety laws, regulations, and orders and the current data relevant to their particular use.

END OF SDS

L.S.K. Enterprise Sdn. Bhd.